

THE STATA JOURNAL

| | |
|--|-----|
| Articles and Columns | 301 |
| ginteff: A generalized command for computing interaction effects M. Radean | 301 |
| Color palettes for Stata graphics: An update B. Jann | 336 |
| lgrgtest: Lagrange multiplier test after constrained maximum-likelihood estimation H. Tauchmann | 386 |
| posw: A command for the stepwise Neyman-orthogonal estimator D. Drukker and D. Liu | 402 |
| A Lagrange multiplier test for the mean stationarity assumption in dynamic panel-data models L. Magazzini and G. Calzolari | 418 |
| xtnumfac: A battery of estimators for the number of common factors in time series and panel-data models J. Ditzen and S. Reese | 438 |
| Visualizing uncertainty in a two-dimensional estimate using confidence and comparison regions M. Eckert and W. Vach | 455 |
| Pseudo-observations in a multistate setting M. Overgaard, P. K. Andersen, and E. T. Parner | 491 |
| Simultaneous tests and confidence bands for Stata estimation commands D. M. Drukker | 518 |
| Reporting empirical results to .docx files Y. Xue, C. Li, and H. Si | 545 |
| Consistent subsets: Computing the Houtman–Maks index in Stata M. Demetry and P. Hjertstrand | 578 |
| Notes and Comments | 589 |
| Stata tip 152: if and if: When to use the if qualifier and when to use the if command N. J. Cox and C. B. Schechter | 589 |
| Software Updates | 595 |